

Supplementary Information

Minutifloroside, a New Bis-Iridoid Glucoside with Antifungal and Antioxidant Activities and Other Constituents from *Palicourea minutiflora*

Vagner M. de Moura,^a Marcos A. S. Ribeiro,^a José G. S. Corrêa,^a Matheus A. Peixoto,^a
Gredson K. Souza,^a Patrícia S. Bonfim-Mendonça,^b Terezinha I. E. Svidzinski,^b
Armando M. Pomini,^{ib} ^a Eduardo C. Meurer^c and Silvana M. O. Santin ^{ib}*,^a

^aDepartamento de Química, Universidade Estadual de Maringá,
Avenida Colombo, 5790, 87020-900 Maringá-PR, Brazil

^bDepartamento de Análises Clínicas e Biomedicina, Universidade Estadual de Maringá,
Avenida Colombo, 5790, 87020-900 Maringá-PR, Brazil

^cLaboratório FENN de Espectrometria de Massas, Universidade Federal do Paraná,
86900-000 Jandaia do Sul-PR, Brazil




Figure S1. ¹H nuclear magnetic resonance (NMR) spectrum (300.06 MHz, D₂O) of compound 1.




Figure S2. Expansion of ^1H NMR spectrum (300.06 MHz, D_2O) of compound **1**.




Figure S3. ^{13}C and distortionless enhancement by polarization transfer (DEPT) NMR spectrum (75.45 MHz, D_2O) of compound **1**.




Figure S4. Correlation spectroscopy (COSY) spectrum of compound **1**.




Figure S5. Heteronuclear single quantum coherence spectroscopy (HSQC) spectrum of compound **1**.




Figure S6. Heteronuclear multiple bond correlation (HMBC) spectrum of compound **1**.




Figure S7. Nuclear Overhauser effect spectroscopy (NOESY) spectrum of compound 1.




Figure S8. MS/MS spectrum of the compound 1.




Figure S9. Expansion of the MS/MS mass spectrum of compound **1**.

