A Labdane Diterpene from the Aerial Parts of Egletes viscosa Less

Francisco Artur e Silva-Filho,^a Mary Anne S. Lima,^{*,a} Antonio Marcos E. Bezerra,^b Raimundo Braz Filho^c and Edilberto R. Silveira^a

^a Curso de Pós-Graduação em Química Orgânica, Universidade Federal do Ceará, CP 12.200 60.021-940, Fortaleza-CE, Brazil

> ^b Departamento de Fitotecnia, Universidade Federal do Ceará, CP 12168 60356-760 Fortaleza-CE, Brazil

^c Universidade Estadual do Norte Fluminense, Setor de Química de Produtos Naturais, 28013-600 Campos-RJ, Brazil



 $Figure \ S1. \ ^{13}C-BB \ NMR \ spectrum \ (75 \ MHz, MeOD) \ of \ 1 \ (8\alpha-hydroxylabd-14(15)-ene-13(S)-O-\beta-D-ribopyranoside).$

*e-mail: mary@dqoi.ufc.br



Figure S2. ¹³C-DEPT 135° NMR spectrum (75 MHz, MeOD) of 1 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-ribopyranoside).



Figure S3. ¹H NMR spectrum (300 MHz, MeOD) of 1 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-ribopyranoside).



Figure S4. COSY NMR spectrum (300 MHz, MeOD) of 1 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-ribopyranoside).



Figure S5. NOESY NMR spectrum (300 MHz, MeOD) of 1 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-ribopyranoside).



Figure S6. HMQC NMR spectrum (300 MHz, MeOD) of 1 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-ribopyranoside).



Figure S7. HR-EIMS spectrum of 1 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-ribopyranoside).



Figure S8. HMBC NMR and expansion spectrum (300 MHz, MeOD) of 1 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-ribopyranoside).



Figure S10. ¹H NMR spectrum (500 MHz, MeOH) of 2 (8α-hydroxylabd-13(S)-O-β-D-ribopyranoside).

S6



Figure S11. HR-EIMS spectrum of 2 (8 α -hydroxylabd-13(S)-O- β -D-ribopyranoside).



Figure S12. ¹³C-BB NMR spectrum (125 MHz, CDCl₃) of 3 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-2', 3', 4' - triacetylribopyranoside).



Figure S13. ¹H NMR spectrum (500 MHz, CDCl₃) of 3 (8α-hydroxylabd-14(15)-ene-13(S)-O-β-D-2', 3', 4'- triacetylribopyranoside).



 $Figure \ S14. \ HR-EIMS \ spectrum \ of \ \textbf{3} \ (8\alpha-hydroxylabd-14(15)-ene-13(S)-O-\beta-D-2', \textbf{3}', \textbf{4}'-triacetylribopyranoside).$



 $\label{eq:sigma} Figure \, \textbf{S15.}^{13} C-BB \, \text{NMR spectrum (125 MHz, CDCl}_3) \, of \, \textbf{4} \, (8\alpha-hydroxylabd-13(S)-O-\beta-D-2', 3', 4'-triacetylribopyranoside).$



Figure S16. ¹H NMR spectrum (500 MHz, CDCl₃) of 4 (8α-hydroxylabd-13(S)-O-β-D-2',3',4'-triacetylribopyranoside).



Figure S17. HR-EIMS spectrum of 4 (8α-hydroxylabd-13(S)-O-β-D-2',3',4'-triacetylribopyranoside).



Figure S18. ¹³C-BB NMR spectrum (125 MHz,CDCl₃) of 5 (13-epi-sclareol).



Figure S20. ¹H NMR spectrum (500 MHz, CDCl₃) of 5 (13-epi-sclareol).



Figure S21. ¹H NMR expansion spectrum (500 MHz, CDCl₃) of 5 (13-epi-sclareol).



Figure S22. HR-EIMS spectrum of 5 (13-epi-sclareol).



Figure S23. ¹³C-BB NMR spectrum (125 MHz,CDCl₃) of Barbatol.



Figure S24. ¹H NMR spectrum (500 MHz, CDCl₃) of Barbatol.



Figure S25. HR-EIMS spectrum of Barbatol.



Figure S26. ¹³C-BB NMR spectrum (125 MHz,CDCl₃) of Tarapacol.



Figure S27. ¹H NMR spectrum (500 MHz, CDCl₃) of Tarapacol.



Figure S28. ¹³C-BB NMR spectrum (75 MHz,CDCl₃) of Spinasterol.



Figure S29. ¹H NMR spectrum (300 MHz, CDCl₃) of Spinasterol.



Figure S30. HR-EIMS spectrum of Spinasterol.



Figure S31. ¹³C-BB NMR spectrum (125 MHz,CDCl₃) of Ternatin.



Figure S32. ¹H NMR spectrum (500 MHz, CDCl₃) of Ternatin.



Figure S33. HR-EIMS spectrum of Triacontane.



Figure S34. ¹H NMR spectrum (500 MHz, CDCl₃) of Triacontane.



Figure S35. ¹³C-BB NMR spectrum (125 MHz,CDCl₃) of Triacontane.