

Clausenain B, a Phenylalanine-rich Cyclic Octapeptide from *Clausena anisum-olens*

Yun-Song Wang,^{a,b} Hong-Pin He,^b Jing-Hua Yang,^a Ying-Tong Di,^b Ning-Hua Tan^b and Xiao-Jiang Hao^{b,*}

^aKey Laboratory of Medicinal Chemistry for Natural Resource, Ministry of Education, School of Chemical Science and Technology, Yunnan University, Kunming 650091, P. R. China

^bState Key Laboratory of Phytochemistry and Plant Resources in West China, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650204, P. R. China




Figure S1. HRESIMS spectrum of compound 1.




Figure S2. FAB⁺MS spectrum of compound 1.




Figure S3. ¹H NMR spectrum (500 MHz, DMSO-*d*₆, T=300K) of compound 1.




Figure S4. ^1H NMR spectrum (500 MHz, DMSO- d_6 , T=315K) of compound 1.




Figure S5. ^{13}C NMR spectrum (400 MHz, $\text{DMSO}-d_6$) of compound **1**.




Figure S6. ¹H-¹H COSY NMR spectrum (500 MHz, DMSO-*d*₆, T=315K) of compound 1.




Figure S7. HSQC spectrum (DMSO-*d*₆) of compound 1.




Figure S8. HMBC spectrum ($\text{DMSO}-d_6$) of compound **1**.




Figure S9. HSQC-TOCSY spectrum ($\text{DMSO}-d_6$) of compound **1**.




Figure S10. TOCSY spectrum ($\text{DMSO}-d_6$) of compound 1.




Figure S11. NOESY spectrum ($\text{DMSO}-d_6$) of compound 1.