

Triterpenoid Saponins from *Lippia alba* (Mill.) N. E. Brown

Mareni R. Farias,^{*a} Roberto Pértile,^a Melissa M. Correa,^a Maria Tereza R. de Almeida,^b
Jorge A. Palermo^b and Eloir P. Schenkel^a

^aPrograma de Pós-graduação em Farmácia, Universidade Federal de Santa Catarina - Campus
Universitário Trindade, 88040-900 Florianópolis-SC, Brasil and Departamento de Ciências
Farmacêuticas, Universidade Federal de Santa Catarina, 88040-900 Florianópolis-SC, Brazil

^bDepartamento de Química Orgánica, Facultad de Ciencias Exactas y Naturales, Universidad de
Buenos Aires, Ciudad Universitaria Pab.2, C1428EGA, Buenos Aires, Argentina




Figure S1. ¹H NMR spectrum (500 MHz, CD₃OD) of Lippiasaponin I (2).

*e-mail: marenif@yahoo.com.br




Figure S2. Expansions of the ^1H NMR spectrum (500 MHz, CD_3OD) of Lippiasaponin I (2).




Figure S3. 2D *J*-Resolved spectrum (500 MHz, in CD₃OD) of Lippiasaponin I (**2**).




Figure S4. ¹H-¹H COSY spectrum (500 MHz, in CD₃OD) of Lippiasaponin I (**2**).




Figure S5. ^{13}C NMR spectrum (125 MHz, in CD_3OD) of Lippiasaponin I (2).




Figure S6. HMBC spectrum (125 MHz, in CD_3OD) of Lippiasaponin I (2).




Figure S7. RCT spectrum (500 MHz, in CD₃OD) of Lippiasaponin I (2).




Figure S8. ¹H NMR spectrum (500 MHz, CD₃OD) of Lippiasaponin II (3).




Figure S9. Expansions of the ¹H NMR spectrum (500 MHz, CD₃OD) of Lippiasaponin II (3).




Figure S10. 2D J-Resolved spectrum (500 MHz, in CD_3OD) of Lippiasaponin II (**3**).




Figure S11. ^1H - ^1H COSY spectrum (500 MHz, in CD_3OD) of Lippiasaponin II (**3**).




Figure S12. ^{13}C NMR spectrum (125 MHz, in CD_3OD) of Lippiasaponin II (3).




Figure S13. HMBC spectrum (125 MHz, in CD_3OD) of Lippiasaponin II (3).




Figure S14. RCT spectrum (500 MHz, in CD₃OD) of Lippiasaponin II (**3**).