

## Synthesis, Absorption and Fluorescence Spectral Characteristics of Trinucleus Dimethine Cyanine Dyes as Fluorescent Probes for DNA Detection

Jun-Jie Su,<sup>a</sup> Lan-Ying Wang,\*,<sup>a</sup> Xiang-Han Zhang,<sup>a</sup> Yi-Le Fu,<sup>a</sup>
Yi Huang<sup>b</sup> and Yong-Sheng Wei<sup>b</sup>

<sup>a</sup>Key Laboratory of Synthetic and Natural Functional Molecule Chemistry (Ministry of Education), College of Chemistry and Materials Science, Northwest University, Xi'an 710069, People's Republic of China

<sup>b</sup>Department of Chemistry, Xianyang Normal University, Xianyang, Shaanxi 712000, China

For Fluorescence emission of **3a-3f** in buffer, in the presence of DNA see Figure S1-S6. For <sup>1</sup>H NMR, <sup>13</sup>C NMR and IR see Figure S6-S24.




Figure S1. Fluorescence emission of 3a in buffer, in the presence of DNA. a: 3a in buffer. b: 3a in the presence of DNA.





Figure S2. Fluorescence emission of 3b in buffer, in the presence of DNA. a: 3b in buffer. b: 3b in the presence of DNA.



**Figure S3.** Fluorescence emission of **3c** in buffer, in the presence of DNA. a: **3c** in buffer. b: **3c** in the presence of DNA.




Figure S4. Fluorescence emission of 3d in buffer, in the presence of DNA. a: 3d in buffer. b: 3d in the presence of DNA.

<sup>\*</sup>e-mail: wanglany@nwu.edu.cn





Figure S5. Fluorescence emission of 3e in buffer, in the presence of DNA. a: 3e in buffer. b: 3e in the presence of DNA.



**Figure S6.** Fluorescence emission of **3f** in buffer, in the presence of DNA. a: **3f** in buffer. b: **3f** in the presence of DNA.

#### Trinucleus dimethine cyanine dye 3a




Figure S7. <sup>1</sup>H NMR spectrum of 3a.




Figure S8. <sup>13</sup>C NMR spectrum of 3a.




Figure S9. IR spectrum of 3a.

### Trinucleus dimethine cyanine dye 3b




Figure S10. <sup>1</sup>H NMR spectrum of 3b.




Figure S11. <sup>13</sup>C NMR spectrum of 3b.




Figure S12. IR spectrum of 3b.

# Trinucleus dimethine cyanine dye 3c




Figure S13. <sup>1</sup>H NMR spectrum of 3c.




Figure S14. <sup>13</sup>C NMR spectrum of 3c.




Figure S15. IR spectrum of 3c.

### Trinucleus dimethine cyanine dye 3d




Figure S16. <sup>1</sup>H NMR spectrum of 3d.




Figure S17. <sup>13</sup>C NMR spectrum of 3d.




Figure S18. IR spectrum of 3d.

### Trinucleus dimethine cyanine dye 3e




Figure S19. <sup>1</sup>H NMR spectrum of 3e.




Figure S20. <sup>13</sup>C NMR spectrum of 3e.




Figure S21. IR spectrum of 3e.

### Trinucleus dimethine cyanine dye 3f




Figure S22. <sup>1</sup>H NMR spectrum of 3f.




Figure S23. <sup>13</sup>C NMR spectrum of 3f.




Figure S24. IR spectrum of 3f.