J. Braz. Chem. Soc., Vol. 22, No. 1, S1-S8, 2011. Printed in Brazil - ©2011 Sociedade Brasileira de Química 0103 - 5053 \$6.00+0.00



Chemical Constituents from Aegle marmelos

Surat Laphookhieo,* Chalita Phungpanya, Cholpisut Tantapakul, Somsak Techa, Suphara Tha-in and Wanwasan Narmdorkmai

Natural Products Research Laboratory, School of Science, Mae Fah Luang University, Tasud, Muang, Chiang Rai 57100, Thailand



Figure S1. ¹H NMR spectrum of 1 (400 MHz, CDCl₃).

*e-mail: surat@mfu.ac.th, suratlpk@gmail.com



Figure S2. ¹H NMR spectrum of 1 (expanded) (400 MHz, CDCl₃).



Figure S3. ¹³C NMR spectrum of 1 (100 MHz, CDCl₃).





Figure S4. DEPT 135 and 90 spectra of 1.



Figure S5. COSY spectrum of 1.



Figure S6. HMQC spectrum of 1.



Figure S7. HMBC spectrum of 1.



Figure S8. ¹H NMR spectrum of 2 (400 MHz, CDCl₃).



Figure S9. ¹H NMR spectrum of 3 (400 MHz, CDCl₃).



Figure S10. ¹H NMR spectrum of 4 (400 MHz, CDCl₃).



Figure S11. ¹H NMR spectrum of 5 (400 MHz, CDCl₃).



Figure S12. ¹H NMR spectrum of 6 (400 MHz, CDCl₃).



Figure S13. ¹H NMR spectrum of 7 (400 MHz, CDCl₃).



Figure S14. ¹H NMR spectrum of 8 (400 MHz, CDCl₃).



Figure S15. ¹H NMR spectrum of 9 (400 MHz, CDCl₃).