

# Supplementary Information


## Three New Amides from *Streptomyces* sp. H7372

Sarot Cheenpracha,<sup>a</sup> Robert P. Borris,<sup>a</sup> Tammy T. Tran,<sup>a</sup> Jap Meng Jee,<sup>b</sup>  
Heng Fong Seow,<sup>b</sup> Hwen-Yee Cheah,<sup>b</sup> Coy Choke Ho<sup>c</sup> and Leng Chee Chang<sup>\*,a</sup>

<sup>a</sup>Department of Pharmaceutical Sciences, College of Pharmacy, University of Hawaii Hilo, 34  
Rainbow Drive, 96720 Hilo, HI, USA

<sup>b</sup>Immunology Unit, Department of Pathology, Faculty of Medicine and Health Sciences,  
Universiti Putra Malaysia, 43400 Serdang, Selangor, Malaysia

<sup>c</sup>Biotechnology Program, School of Science and Technology, University Malaysia Sabah, 88999  
Kota Kinabalu, Sabah, Malaysia



**Figure S1.**  $^1\text{H}$  NMR spectrum of compound 1 (500 MHz,  $\text{CDCl}_3$ ).

\*e-mail: lengchee@hawaii.edu




Figure S2.  $^{13}\text{C}$  NMR spectrum of compound 1 (125 MHz,  $\text{CDCl}_3$ ).




Figure S3.  $^1\text{H}$  NMR spectrum of compound 2 (500 MHz,  $\text{CD}_3\text{OD}$ ).




Figure S4.  $^{13}\text{C}$  NMR spectrum of compound 2 (125 MHz,  $\text{CD}_3\text{OD}$ ).




Figure S5.  $^1\text{H}$  NMR spectrum of compound 3 (125 MHz,  $\text{CD}_3\text{OD}$ ).




Figure S6.  $^{13}\text{C}$  NMR spectrum of compound 3 (125 MHz,  $\text{CD}_3\text{OD}$ ).