

Supplementary Information

Lycopodium Alkaloids from *Palhinhaea cernua*

Fu-Wei Zhao,^{a,b} Qian-Yun Sun,^c Fu-Mei Yang,^c Ji-Feng Luo,^a Guang-Wan Hu,^a
Fang Liu,^d Yue-Hu Wang^{*a} and Chun-Lin Long^{*a,e}

^aKey Laboratory of Economic Plants and Biotechnology, Kunming Institute of Botany,
Chinese Academy of Sciences, Kunming 650201, People's Republic of China

^bGraduate University of Chinese Academy of Sciences, Beijing 100049, People's Republic of China

^cKey Laboratory of Chemistry for Natural Products, Guizhou Province and Chinese Academy of Sciences,
Guiyang 550002, People's Republic of China

^dCollege of Landscape and Horticulture, Yunnan Agricultural University,
Kunming 650201, People's Republic of China

^eCollege of Life and Environmental Sciences, Minzu University of China,
Beijing 100081, People's Republic of China




Figure S1. ¹H NMR spectrum of 1.




Figure S2. ^{13}C NMR spectrum of **1**.




Figure S3. HSQC spectrum of **1**.




Figure S4. ¹H-¹H COSY spectrum of **1**.






Figure S5. HMBC spectrum of **1**.

Figure S6. ¹H NMR spectrum of 2.Figure S7. ¹³C NMR spectrum of 2.







Figure S8. HSQC spectrum of 2.

Figure S9. ^1H - ^1H COSY spectrum of 2.

Figure S10. HMBC spectrum of **2**.Figure S11. ROESY spectrum of **2**.