

# Supplementary Information

## Fatty Acid Synthase Inhibitors Isolated from *Punica granatum* L.

He-Zhong Jiang,<sup>a,c</sup> Qing-Yun Ma,<sup>a</sup> Hui-Jin Fan,<sup>b</sup> Wen-Juan Liang,<sup>a</sup> Sheng-Zhuo Huang,<sup>a</sup> Hao-Fu Dai,<sup>a</sup> Peng-Cheng Wang,<sup>a</sup> Xiao-Feng Ma<sup>\*,b</sup> and You-Xing Zhao<sup>\*,a</sup>

<sup>a</sup>Institute of Tropical Bioscience and Biotechnology, Chinese Academy of Tropical Agricultural Sciences, Haikou 571101, People's Republic of China

<sup>b</sup>College of Life Sciences, Graduate University of Chinese Academy of Sciences, Beijing 100049, People's Republic of China

<sup>c</sup>School of Life Science and Engineering, Southwest Jiaotong University, Chengdu 610031, People's Republic of China







Figure S1. <sup>1</sup>H NMR spectrum of **1** (CDCl<sub>3</sub>, 400 MHz).




**Figure S2.** <sup>13</sup>C NMR and DEPT spectra of **1** ( $\text{CDCl}_3$ , 100 MHz).




**Figure S3.** <sup>1</sup>H, <sup>13</sup>C HSQC-NMR spectrum of **1** ( $\text{CDCl}_3$ ,  $400 \times 100$  MHz).



**Figure S4.**  $^1\text{H}$ ,  $^{13}\text{C}$  HMBC-NMR spectrum of **1** ( $\text{CDCl}_3$ ,  $400 \times 100$  MHz).



**Figure S5.** EI-MS spectrum of **1**.



**Figure S6.** HREI-MS spectrum of **1**.