

Nano Fe_2O_3 , Clinoptilolite and $H_3PW_{12}O_{40}$ as Efficient Catalysts for Solvent-Free Synthesis of 5(4H)-Isoxazolone under Microwave Irradiation Conditions

Samieh Fozooni,*,a Nasrin Gholam Hosseinzadeh,b Hooshang Hamidianc and Mohammad Reza Akhgarb

^aZarand High Education center, Mining Engineering Department, Shahid Bahonar University, Kerman, Islamic Republic Iran

^bDepartment of Chemistry, Islamic Azad University, Kerman, Islamic Republic Iran ^cDepartment of Chemistry, Payame Noor University (PNU), 19395-4697, Tehran, Islamic Republic Iran





Figure S1. IR spectrum and ¹H NMR spectrum (500 MHz, CDCl₃) of compound 3a.

^{*}e-mail: samieh.fozooni@uk.ac.ir, s_fozooni@yahoo.com






Figure S2. 13 C NMR spectrum (126 MHz, CDCl $_3$) and mass spectrum of compound 3a.





Figure S3. IR spectrum and $^1\mathrm{H}$ NMR spectrum (500 MHz, CDCl $_3$) of compound 3b.






Figure S4. 13 C NMR spectrum (126 MHz, CDCl $_{3}$) and mass spectrum of compound 3b.




Figure S5. IR spectrum and ^1H NMR spectrum (500 MHz, CDCl $_3$) of compound 3c.







Figure S6. 13 C NMR spectrum (126 MHz, CDCl $_3$) and mass spectrum of compound 3c.



 $\textbf{Figure S7}. \ IR \ spectrum \ and \ ^{l}H \ NMR \ spectrum \ (500 \ MHz, CDCl_{3}) \ of \ compound \ \textbf{3d}.$








Figure S8. 13 C NMR spectrum (126 MHz, CDCl $_{3}$) and mass spectrum of compound 3d.






Figure S9. IR spectrum and ^1H NMR spectrum (500 MHz, CDCl $_3$) of compound 3e.









Figure S10. 13 C NMR spectrum (126 MHz, CDCl $_3$) and mass spectrum of compound 3e.







Figure S11. IR spectrum and ^1H NMR spectrum (500 MHz, CDCl $_3)$ of compound 3f.







Figure S12. ¹³C NMR spectrum (126 MHz, CDCl₃) and mass spectrum of compound 3f.







Figure S13. IR spectrum and 1 H NMR spectrum (500 MHz, CDCl $_{3}$) of compound 3g.







Figure S14. 13 C NMR spectrum (126 MHz, CDCl $_3$) and mass spectrum of compound 3g.






Figure S15. IR spectrum and 1H NMR spectrum (500 MHz, CDCl $_3)$ of compound 3h.




Figure S16. 13 C NMR spectrum (126 MHz, CDCl $_3$) and mass spectrum of compound 3h.





Figure S17. IR spectrum and 1H NMR spectrum (500 MHz, CDCl $_{\! 3})$ of compound 3i.







Figure S18. 13 C NMR spectrum (126 MHz, CDCl $_3$) and mass spectrum of compound 3i.







Figure S19. IR spectrum and 1H NMR spectrum (500 MHz, CDCl $_{\! 3})$ of compound 3j.






Figure S20. 13 C NMR spectrum (126 MHz, CDCl $_3$) and mass spectrum of compound 3j.





Figure S21. IR spectrum and 1H NMR spectrum (500 MHz, CDCl $_3)$ of compound 3k.






Figure S22. 13 C NMR spectrum (126 MHz, CDCl $_3$) and mass spectrum of compound 3k.