Synthesis of Organotin Substituted Tricyclic Macrodiolides

Flavia C. Zacconi,^a Romina A. Ocampo,^{b,#} Julio C. Podestá^{b,#} and Liliana C. Koll^{*,b,#}

^aFacultad de Química, Pontificia Universidad Católica de Chile, Vicuña Mackenna 4860, Macul, 78204336 Santiago, Chile

^bInstituto de Química del Sur (INQUISUR), Departamento de Química, Universidad Nacional del Sur, Av. Alem 1253, 8000 Bahía Blanca-BA, Argentina



Figure S1. ¹¹⁹Sn NMR spectrum (111.8 MHz, CDCl₃) of diastereomers in the mixtures obtained in the additions of triorganotin hydrides 5, 6 and 7 to diester 1.



Figure S2. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 8ab.



Figure S3. ¹³C NMR spectrum (100 MHz, CDCl₃) of compound 8ab.



Figure S4. FTIR (KBr) spectrum of compound 8ab.



Figure S5. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 9ab.



Figure S6. ¹³C NMR spectrum (100 MHz, CDCl₃) of compound 9ab.



Figure S7. FTIR (KBr) spectrum of compound 9ab.



Figure S8. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 10ab.



Figure S9. ¹³C NMR spectrum (100 MHz, CDCl₃) of compound 10ab.



Figure S10. FTIR (KBr) spectrum of compound 10ab.



Figure S11. ¹¹⁹Sn NMR spectrum (111.8 MHz, CDCl₃) of diastereomers in the mixtures obtained in the additions of triorganotin hydrides 5, 6 and 7 to diester 2.



Figure S12. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 11ad.



Figure S13. 13 C NMR spectrum (100 MHz, CDCl₃) of compound 11ad.



Figure S14. FTIR (KBr) spectrum of compound 11ad.



Figure S15. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 12ad.



Figure S16. $^{\rm 13}C$ NMR spectrum (100 MHz, CDCl_3) of compound 12ad.



Figure S17. FTIR (KBr) spectrum of compound 12ad.



Figure S18. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 13ad.



Figure S19. ¹³C NMR spectrum (100 MHz, CDCl₃) of compound 13ad.



Figure S20. FTIR (KBr) spectrum of compound 13ad.



Figure S21.¹¹⁹Sn NMR spectrum (111.8 MHz, CDCl₃) of diastereomers in the mixtures obtained in the additions of triorganotin hydrides 5 and 6 to diester 3.



Figure S22. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 14ad.



Figure S23. ¹³C NMR spectrum (100 MHz, CDCl₃) of compound 14ad.



Figure S24. FTIR (KBr) spectrum of compound 14ad.



Figure S25. 1 H NMR (300 MHz, CDCl₃) spectrum of compound 15ad.



Figure S26. ¹³C NMR spectrum (100 MHz, CDCl₃) of compound 15ad.



Figure S27. FTIR (KBr) spectrum of compound 15ad.



Figure S28.¹¹⁹Sn NMR spectrum (111.8 MHz, CDCl₃) of diastereomers in the mixtures obtained in the additions of triorganotin hydrides 5 and 6 to diester 4.



Figure S29. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 16ad.



Figure S30. ¹³C NMR spectrum (100 MHz, CDCl₃) of compound 16ad.



Figure S31. FTIR (KBr) spectrum of compound 16ad.



Figure S32. ¹H NMR (300 MHz, CDCl₃) spectrum of compound 17ad.



Figure S33. ¹³C NMR spectrum (100 MHz, CDCl₃) of compound 17ad.



Figure S34. FTIR (KBr) spectrum of compound 17ad.