

Supplementary Information

A New Steroidal Saponin from the Tubers of *Ophiopogon japonicus* and Its Protective Effect Against Cisplatin-Induced Renal Cell Toxicity

Seoung Rak Lee,^{a,#} Ju-Yeon Han,^{b,#} Hee Rae Kang,^a Hye Lim Lee,^c Hyung-Jun Noh,^d Jae-Soon Cha,^e Ki Sung Kang,^c Chan-Jung Lee^{*b} and Ki Hyun Kim^{*a}

^aSchool of Pharmacy, Sungkyunkwan University, 440-746 Suwon, Republic of Korea

^bMushroom Research Division, National Institute of Horticultural & Herbal Science, Rural Development Administration (RDA), 369-873 Eumseong, Republic of Korea

^cCollege of Korean Medicine, Gachon University, 461-701 Seongnam, Republic of Korea

^dDivision of Herbal Crop Utilization Research, National Institute of Horticultural & Herbal Science, Rural Development Administration (RDA), 369-873 Eumseong, Republic of Korea

^eDepartment of Plant Medicine, College of Agriculture, Life & Environment Science, Chungbuk National University, Cheongju, 631-763 Chungbuk, Republic of Korea




Figure S1. ¹H NMR spectrum (700 MHz, CD₃OD) of 1.

*e-mail: lchanj@korea.kr, khkim83@skku.edu

#Both authors contributed equally to this work




Figure S2. Expanded ^1H NMR spectrum (700 MHz, CD_3OD) of **1**.




Figure S3. ^{13}C NMR spectrum (175 MHz, CD_3OD) of **1**.




Figure S4. Expanded ^{13}C NMR spectrum (175 MHz, CD_3OD) of **1**.




Figure S5. ^1H - ^1H COSY spectrum of **1**.




Figure S6. HSQC spectrum of 1.




Figure S7. Expanded HSQC spectrum of 1.




Figure S8. HMBC spectrum of **1**.




Figure S9. Expanded HMBC spectrum of **1**.




Figure S10. HRESIMS of 1.